

PATENT  
10/058,772

### C. AMENDMENTS TO THE CLAIMS

In order to better assist the Examiner with the prosecution of the case, the current pending claims have been included in their entirety for which reconsideration is requested.

1. (Currently Amended) A method for automatic window representation adjustment, said method comprising the steps of:

detecting a separate level of current activity performed by at least one component of a computer system in association with each of a plurality of [[a]] window elements within a graphical interface, wherein said current activity comprises at least one activity from among usage of a graphics card in association with said window elements, a number of threads used in association with said window elements, an amount of data storage used in association with said window element, a net network bandwidth used in association with said window element, and an amount of memory used in association with said window element; [[and]]

automatically performing at least one of minimizing at least one of said plurality of window elements and maximizing at least one of said plurality of window elements as triggered by an adjustment to at least one said separate level of current activity in relation to a threshold level for said current activity to reflect said current activity, such that a representation of each of said plurality of window elements is graphically represented, wherein minimizing said window element when said separate level of current activity adjusts less than a threshold level comprises reducing said window element from a graphical window to a graphical icon representing said graphical window, wherein maximizing said window element when said separate level of current activity adjusts greater than a threshold level comprises increasing said window element from a minimized graphical icon representing said window element to a full graphical window; and  
displaying within a separate window element within said graphical interface a graphical representation of each of said plurality of window elements ordered according to each said separate level of current activity.

AUS920010521US1

4

PATENT  
10/058,772

2. (Currently Amended) The method for automatic window representation adjustment according to claim 1, said step of automatically performing further comprising the step of:

automatically adjusting a position of each of said plurality of window elements within a z-order of a plurality of windows displayed within said graphical interface to reflect said graphical representation of each of said plurality of window elements ordered according to each said separate level of current activity.

3. (Currently Amended) The method for automatic window representation adjustment according to claim 1, said step of automatically performing further comprising the step of:

automatically adjusting a size of said at least one of said plurality of window elements when performing one of minimizing at least one of said plurality of window elements and maximizing at least one of said plurality of window elements to a preselected size specified by a user in a selection of preferences designated in association with performing one of minimizing at least one of said plurality of window elements and maximizing at least one of said plurality of window elements as triggered by an adjustment to at least one said separate level of current activity in relation to said threshold level for said current activity ~~to reflect said current activity.~~

4. (Currently Amended) The method for automatic window representation adjustment according to claim 1, said step of detecting a separate level of current activity further comprising the step of:

detecting a separate level of current use of each of said plurality of [[a]] window elements through user interactions with each of said plurality of window elements.

AUS920010521US1

5

PATENT  
10/058,772

5. (Currently Amended) The method for automatic window representation adjustment according to claim 1, said step of detecting a separate level of current activity further comprising the step of:

detecting a transparency of each separate [[said]] representation of each of said plurality of window elements.

6. Cancelled.

7. (Currently Amended) The method for automatic window representation adjustment according to claim 1, said method further comprising:

detecting each said separate level of current activity in association with each of said [[a]] plurality of windows elements displayed within said graphical interface; and

adjusting a separate alpha level<sup>[[s]]</sup> associated with each of said plurality of window elements to order said plurality of window elements to reflect each said separate level of said current activity.

8. (Currently Amended) The method for automatic window representation adjustment according to claim 7, said method further comprising the step of:

adjusting a separate alpha level<sup>[[s]]</sup> of a selection of said plurality of window elements that are minimized representations of a plurality of windows.

AUS920010521US1

6

PATENT  
10/058,772

9. (Currently Amended) The method for automatic window representation adjustment according to claim 7, said method further comprising the step of:

performing at least one of minimizing and maximizing each of said plurality of window elements in response to adjusting each said separate alpha level[[s]] of each of said plurality of window elements, ~~wherein minimizing each of said plurality of window elements comprises reducing a graphical window from among said plurality of window elements to a graphical icon representing said graphical window, wherein maximizing each of said plurality of window elements comprises increasing a graphical icon representing a window element from among said plurality of window elements to a graphical window.~~

AUS920010521US1

7

PATENT  
10/058,772

10. **(Currently Amended)** A system for automatic window representation adjustment, said system comprising:

a graphical user interface;

means for detecting a separate level of current activity performed by at least one component of a computer system in association with each of a plurality of [[a]] window elements within said graphical interface, wherein said current activity comprises at least one activity from among usage of a graphics card in association with said window elements, a number of threads used in association with said window elements, an amount of data storage used in association with said window element, a net network bandwidth used in association with said window element, and an amount of memory used in association with said window element; [[and]]

means for automatically performing at least one of minimizing at least one of said plurality of window elements and maximizing at least one of said plurality of window elements as triggered by an adjustment to at least one said separate level of current activity in relation to a threshold level for said current activity to reflect said current activity, such that a representation of each of said plurality of window elements is graphically represented, wherein minimizing said window element when said separate level of current activity adjusts less than a threshold level comprises reducing said window element from a graphical window to a graphical icon representing said graphical window, wherein maximizing said window element when said separate level of current activity adjusts greater than a threshold level comprises increasing said window element from a minimized graphical icon representing said window element to a full graphical window; and

means for displaying within a separate window element within said graphical interface a graphical representation of each of said plurality of window elements ordered according to each said separate level of current activity.

AUS920010521US1

8

PATENT  
10/058,772

11. (Currently Amended) The system for automatic window representation adjustment according to claim 10, said means for automatically performing further comprising:

means for automatically adjusting a position of each of said plurality of window elements within a z-order of a plurality of windows displayed within said graphical interface to reflect said graphical representation of each of said plurality of window elements ordered according to each said separate level of current activity.

12. (Currently Amended) The system for automatic window representation adjustment according to claim 10, said means for automatically performing further comprising:

means for automatically adjusting a size of said at least one of said plurality of window elements when performing one of minimizing at least one of said plurality of window elements and maximizing at least one of said plurality of window elements to a preselected size specified by a user in a selection of preferences designated in association with performing one of minimizing at least one of said plurality of window elements and maximizing at least one of said plurality of window elements as triggered by an adjustment to at least one said separate level of current activity in relation to said threshold level for said current activity to reflect said current activity.

13. (Currently Amended) The system for automatic window representation adjustment according to claim 10, said means for detecting a separate level of current activity further comprising:

means for detecting a separate level of current use of each of said plurality of [[a]] window elements through user interactions with each of said plurality of window elements.

AUS920010521US1

9

PATENT  
10/058,772

14. (Currently Amended) The system for automatic window representation adjustment according to claim 10, said means for detecting a separate level of current activity further comprising:

means for detecting a transparency of each separate [[said]] representation of each of said plurality of window elements.

15. Cancelled.

16. (Currently Amended) The system for automatic window representation adjustment according to claim 10, said system further comprising:

means for detecting each said separate level of current activity in association with each of said [[a]] plurality of windows elements displayed within said graphical interface; and

means for adjusting a separate alpha level[[s]] associated with each of said plurality of window elements to order said plurality of window elements to reflect each said separate level of said current activity.

17. (Currently Amended) The system for automatic window representation adjustment according to claim 16, said system further comprising:

means for adjusting a separate alpha level[[s]] of a selection of said plurality of window elements that are minimized representations of a plurality of windows.

AUS920010521US1

10

PATENT  
10/058,772

18. (Currently Amended) The system for automatic window representation adjustment according to claim 16, said system further comprising:

means for performing at least one of minimizing and maximizing each of said plurality of window elements in response to adjusting each said separate alpha level[[s]] of each of said plurality of window elements, ~~wherein minimizing each of said plurality of window elements comprises reducing a graphical window from among said plurality of window elements to a graphical icon representing said graphical window, wherein maximizing each of said plurality of window elements comprises increasing a graphical icon representing a window element from among said plurality of window elements to a graphical window.~~

AUS920010521US1

11



PATENT  
10/058,772

19. (Currently Amended) A program for automatic window representation adjustment, residing on a tangible computer usable medium having computer readable program code means, said program comprising:

means for detecting a separate level of current activity performed by at least one component of a computer system in association with each of a plurality of [[a]] window elements within a graphical interface, wherein said current activity comprises at least one activity from among usage of a graphics card in association with said window elements, a number of threads used in association with said window elements, an amount of data storage used in association with said window element, a net network bandwidth used in association with said window element, and an amount of memory used in association with said window element; [[and]]

means for automatically controlling performance of at least one of minimizing at least one of said plurality of window elements and maximizing at least one of said plurality of window elements as triggered by an adjustment to at least one said separate level of current activity in relation to a threshold level for said current activity to reflect said current activity, such that a representation of each of said plurality of window elements is graphically represented, wherein minimizing said window element when said separate level of current activity adjusts less than a threshold level comprises reducing said window element from a graphical window to a graphical icon representing said graphical window, wherein maximizing said window element when said separate level of current activity adjusts greater than a threshold level comprises increasing said window element from a minimized graphical icon representing said window element to a full graphical window; and

means for controlling display within a separate window element within said graphical interface a graphical representation of each of said plurality of window elements ordered according to each said separate level of current activity.

AUS920010521US1

12

PATENT  
10/058,772

20. (Currently Amended) The program for automatic window representation adjustment according to claim 19, said program further comprising:

means for automatically controlling adjustment of a position of each of said plurality of window elements within a z-order of a plurality of windows displayed within said graphical interface to reflect said graphical representation of each of said plurality of window elements ordered according to each said separate level of current activity.

21. (Currently Amended) The program for automatic window representation adjustment according to claim 19, said program further comprising:

means for automatically adjusting a size of said at least one of said plurality of window elements when controlling performance of one of minimizing at least one of said plurality of window elements and maximizing at least one of said plurality of window elements to a preselected size specified by a user in a selection of preferences designated in association with performing one of minimizing at least one of said plurality of window elements and maximizing at least one of said plurality of window elements as triggered by an adjustment to at least one said separate level of current activity in relation to said threshold level for said current activity to reflect said current activity.

22. (Currently Amended) The program for automatic window representation adjustment according to claim 19, said program further comprising:

means for detecting a separate level of current use of each of said plurality of [[a]] window elements through user interactions with each of said plurality of window elements.

AUS920010521US1

13

PATENT  
10/058,772

23. (Currently Amended) The program for automatic window representation adjustment according to claim 19, said program further comprising:

means for detecting a transparency of each separate ~~[[said]]~~ representation of each of said plurality of window elements.

24. Cancelled.

25. (Currently Amended) The program for automatic window representation adjustment according to claim 19, said program further comprising:

means for detecting each said separate level of current activity in association with each of said ~~[[a]]~~ plurality of windows elements displayed within said graphical interface; and

means for controlling adjustment of a separate alpha level~~[[s]]~~ associated with each of said plurality of window elements to order said plurality of window elements to reflect each said separate level of said current activity.

26. (Currently Amended) The program for automatic window representation adjustment according to claim 25, said program further comprising:

means for controlling adjustment of a separate alpha level~~[[s]]~~ of a selection of said plurality of window elements that are minimized representations of a plurality of windows.

AUS920010521US1

14

PATENT  
10/058,772

27. (Currently Amended) The program for automatic window representation adjustment according to claim 25, said program further comprising:

means for controlling performance of at least one of minimizing and maximizing each of said plurality of window elements in response to adjusting each said separate alpha level[[s]] of each of said plurality of window elements, ~~wherein minimizing each of said plurality of window elements comprises reducing a graphical window from among said plurality of window elements to a graphical icon representing said graphical window, wherein maximizing each of said plurality of window elements comprises increasing a graphical icon representing a window element from among said plurality of window elements to a graphical window.~~

AUS920010521US1

15